

**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing Date 06/17/2019

Revision Number 3

Revision Date 06/17/2019

\* **1 Identification**

- **Product identifier**
- **Trade name:** Stanfax 590
- **Relevant identified uses of the substance or mixture.** Surfactant
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Tiarco LLC  
SRS Division  
1010 Vista Drive  
Dalton, GA 30721
- **Information department:** Global Regulatory Department.
- **Emergency telephone number:**  
(Chemtrec): (800) 424-9300 (Chemtrec International): (703) 527-3887  
Industrial Health/Spill Emergency: (706) 277-1300 Danny Welch (ehs@trcc.com)

\* **2 Hazard(s) identification**

- **Classification of the substance or mixture**



Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



- **Signal word** Warning
- **Hazard statements**  
Causes skin irritation.  
Causes serious eye irritation.  
May cause an allergic skin reaction.
- **Precautionary statements**  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Wash thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves / eye protection / face protection.  
If on skin: Wash with plenty of water.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 06/17/2019

Revision Number 3

Revision Date 06/17/2019

Trade name: Stanfax 590

(Contd. of page 1)

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	0	Fire = 0
PHYSICAL HAZARD	0	Physical Hazard = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Cocamidopropyl Betaine Surfactant

· **Hazardous components:**

61789-40-0	Cocamidopropyl Betaine (CAPB)	25-50%
56-81-5	glycerol	2.5-10%

### \* 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin becomes irritated seek medical attention.

· **After eye contact:** Rinse opened eye for 20 minutes under running water. Call a Doctor immediately.

· **After swallowing:**

Rinse mouth with water.

Do not induce vomiting; immediately call for medical help.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

USA

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 06/17/2019

Revision Number 3

Revision Date 06/17/2019

Trade name: Stanfax 590

(Contd. of page 2)

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.  
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**  
Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
- **Protective equipment:** Protective clothing and respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste in accordance with federal state and local regulations.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

56-81-5	glycerol	45 mg/m <sup>3</sup>
---------	----------	----------------------

- **PAC-2:**

56-81-5	glycerol	180 mg/m <sup>3</sup>
---------	----------	-----------------------

- **PAC-3:**

56-81-5	glycerol	1,100 mg/m <sup>3</sup>
---------	----------	-------------------------

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Open and handle receptacle with care.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location away from direct heat.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**  
Protect product from freezing.  
Keep receptacle tightly sealed.

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 06/17/2019

Revision Number 3

Revision Date 06/17/2019

Trade name: Stanfax 590

(Contd. of page 3)

· **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 56-81-5 glycerol

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup>  
mist; \*total dust \*\*respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment (see listings below)**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses with side shields.



Tightly sealed goggles

Use full face shield over protective eye wear when there is a risk of a splash.

· **Body protection:** Protective work clothing

USA

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 06/17/2019

Revision Number 3

Revision Date 06/17/2019

Trade name: Stanfax 590

(Contd. of page 4)

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Liquid
· <b>Color:</b>	clear-yellow
· <b>Odor:</b>	Characteristic
· <b>Odor threshold:</b>	Not determined.

· **pH-value at 20 °C (68 °F):** 5.5-7

· **Change in condition**

· <b>Melting point:</b>	Undetermined.
· <b>Boiling point:</b>	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Flammable limits:**

· <b>Lower:</b>	Not determined
· <b>Upper:</b>	Not determined

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· **Specific gravity at 20 °C (68 °F):** 1.05 g/cm<sup>3</sup> (8.76225 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Completely Soluble

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.

· **Solvent content:**

· <b>Organic solvents:</b>	Not available
· <b>Water:</b>	Not available

· **Solids content:** 34-36 %

· **Other information** No further relevant information available.

### 10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** Avoid high temperatures. Avoid freezing.

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 06/17/2019

Revision Number 3

Revision Date 06/17/2019

Trade name: Stanfax 590

(Contd. of page 5)

- **Incompatible materials:** Reacts with oxidizing agents.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Hydrocarbons

### \* 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Skin irritant.
- **on the eye:** Causes serious eye irritation.
- **Sensitization:** Skin Contact - May cause allergic skin reaction.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### \* 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** At present there are no ecotoxicological assessments.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### \* 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

USA

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 06/17/2019

Revision Number 3

Revision Date 06/17/2019

Trade name: Stanfax 590

(Contd. of page 6)

### 14 Transport information

· UN-Number	
· DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name	
· DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	not regulated
· Packing group	
· DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	not regulated

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture
· Sara
· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.
· Hazardous Air Pollutants
None of the ingredients is listed.
· Proposition 65 Please contact supplier of this product regarding Proposition 65 information.
· (DSL) Canada Domestic Substance List
All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.
· New Jersey Right-to-Know List:
56-81-5   glycerol
· New Jersey Special Hazardous Substance List:
None of the ingredients is listed.
· Pennsylvania Right-to-Know List:
56-81-5   glycerol
· Pennsylvania Special Hazardous Substance List:
None of the ingredients is listed.

(Contd. on page 8)

USA

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 06/17/2019

Revision Number 3

Revision Date 06/17/2019

Trade name: Stanfax 590

(Contd. of page 7)

- **Carcinogenicity categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients listed.

- **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **National regulations:**

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### \* 16 Other information

Although the information and recommendations set forth in this SDS [SDS] are presented in good faith and are believed to be correct as of the date of this SDS [SDS], the supplier/manufacturer makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will the supplier/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS [SDS].

- **Department issuing SDS:** Global Regulatory Department.

- **Creation Date:** 06/17/2019

- **Date of preparation / last revision** 06/17/2019 / 2

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1